





Presented by
Wesley Tayon
NASA Langley Research Center

TECHNOLOGY DRIVES EXPLORATION



# Advanced Near Net Shape Technology: Integrally Stiffened Cylinder Process



- Integrally Stiffened Cylinder (ISC) Process - Revolutionary manufacturing method to produce stiffened aerospace structures
- The ISC process offers ~50% reduction in manufacturing cost and ~10% mass savings
- This technology targets launch vehicle cryogenic propellant tanks, but will also benefit intertank and dry bay structures





# Traditional Cryogenic Tank Manufacturing



### **Problem**


 Machined/welded construction of launch vehicle cryotanks is expensive, heavy, and risky



#### **Integrally Machined**

- 90% Scrap Rate \*
- Approx. 540,000 lbs. Chips \*
- \$8M Chips \*
- Environmentally Unfriendly

 Majority of launch vehicle cryotanks are welded and machined based on manufacturing principles from 1950's



- Material Property Knockdown
- Potential Weld Defects
- Weld Lands Concentrate Load
- Approx. 0.5 Miles of Welds \*


### **Solution**

 Use innovative metals forming techniques to manufacture cryotanks which are cheaper, lighter, with fewer welds



# Comparison of Manufacturing Technologies





### **Key Benefits of ISC Process**

- Minimizes machining
- Eliminates longitudinal welds
- Reduces number of circumferential welds



# Cost-Benefit Analysis of the Integrally Stiffened Cylinder (ISC) Process



### **ISC Process vs. Conventional Fabrication**


Savings	NASA	MT Aerospace
Cost	<b>52</b> %	41 %
Mass	7 %	5 %


- Cost reduction attributed to:
  - Reducing labor for machining, welding and inspections
  - Truncating manufacturing schedule by 60%
- Mass reduction by eliminating longitudinal welds and associated weld lands
  - Additional mass savings may be realized through design optimization
- Capital investment for ISC equipment estimated at \$8M
  - ROI after fabrication of 5 cryogenic tank barrels
  - Capital investment equals material savings in one Shuttle External Tank scale barrel




# Integrally Stiffened Cylinder (ISC) Process









# Fabrication of Stiffened Structures with the ISC Process

- A thick aluminum pre-form is mounted on a slotted mandrel
- Mandrel rotates while forming rollers apply force to lengthen the cylinder and thin the wall
- Rollers force material into slots producing stiffeners






# Video of the Integrally Stiffened Cylinder Process



# Integrally Stiffened Cylinder Forming Equipment





# Maturation of the Integrally Stiffened Cylinder Process



## Lab to Launch in 4 years

Proof of Concept with Al-Li Alloy



• 0.2 in. tall stiffeners

• 8 in. diameter

Increased Stiffener Spacing and Height



- Multiple stiffener shapes
- 0.75 in. tall stiffeners
- 8 inch diameter

Scaled-up 6061 Aluminum Stiffened Cylinder



- 17 in. diameter
- 20 in. length

**Cryogenic Tank Height Stiffeners** 



- 1 in. tall stiffeners
- 17 in. diameter

Sounding Rocket Flight Demonstration Oct. 7, 2015








# Scale-Up of Integrally Stiffened Cylinder (ISC) Process




### Scale-Up to 10 ft. Diameter



- Partnering with Lockheed Martin, ESA, and MT Aerospace
- Enabled by utilizing existing infrastructure at MT Aerospace
- 10 ft. diameter stiffened cylinders have application to US and European launch vehicles

# Long-Term Vision: SLS Scale Cryotanks





## **International Partnerships**





#### Lockheed Martin

 US industry perspective and technology infusion into Lockheed Martin launch vehicle systems



### MT Aerospace

- Commercial aerospace manufacturer
- Spin forming expertise and collaboration throughout ISC process development



### European Space Agency (ESA)

- Future Launcher Preparatory Program (FLPP)
- Infusion of ISC technology into upgrades for Vega & Arianne rockets



#### DLR (German Aerospace Center)

Partnering to explore limits of stiffener size



### Leifeld Metal Spinning

- Spin forming equipment manufacturer
- Potential ISC equipment supplier for US industry



### International Technologies, Inc.

• US importer of spin forming equipment



### **Contact Information**



# For More Information About The Integrally Stiffened Cylinder Process Or To Discuss Potential Collaboration Efforts

John Wagner John.A.Wagner@nasa.gov 757-864-3132

Wesley Tayon Wesley.A.Tayon@nasa.gov 757-864-4280 Marcia Domack Marcia.S.Domack@nasa.gov 757-864-3126

Keith Bird R.K.Bird@nasa.gov 757-864-3512